

# The world's finest ideas in cooling!



.....brought to India by Celfrost





Celfrost\*

#### Chest freezers from 100 ltrs to 720 ltrs.


Presenting world's finest range of chest freezers to suit every need in one, two and three lid variants







CF-500



Three Lid Chest Freezer / Chiller CF-750

### **Upright Solid Door Freezers**





NFG-1000A

Glass Top Freezers from 108 Ltrs. to 370 Ltrs.





## Half Freezer / Half Cooler



- Unique dual temperature design with 200 Ltr. freezing chamber and 100 Ltr. cooling chamber
- 2 separate lids for easy access to

### Showcase Coolers - from 50 ltrs to 1000 ltrs.

NFG-450













FKG-1000S

ISO 9001 ISO 14001



IKG-110



# **Technical**

# Specifications

		777	recrifical Specifications																									
Product/Model Specification	Chest Freezers / Chillers								Glass Top Freezers			Half Freezer Half Cooler			Upright Showcase Freezers		Island Showcases		Upright Showcase Coolers								Gelato Showcase	Low Temp Freezers
	CF-100	CF-200	CF-300	CF-350-2D	CF-400-2D	CF-500	CF-600	CF-750	IKG-110	IKG-300A	IKG-400	CFCC-300	BFS-150	BFS-345-S**	NFG-450	NFG-1000A	IL-450	IL-660	FKG-50A	FKG-110	FKG-320A	FKG-371**	FKG-400	FKG-600	FKG-1000S	FKG-1000	Samoa7	VT407
Capacity (litres)	100	170	280	325	390	465	570	720	108	255	365	200/100	148	344	450	950	450	660	50	110	320	381	400	600	950	990	370	383
Dimension (Inches) Width	22	31	44	48	49	65	73	95	24	42	53	47	20	23	27	54	63	67	16	20	23	23	24	35	47	50	54	62
Depth	23	25	24	25	30	28	28	28	20	22	26	24	24	23	28	28	28	36	17	23	23	23	23	21	28	28	26	24
Height	33	32	33	36	36	33	33	33	37	33	33	32	48	73	78	78	35	35	29	34	67	73	78	74	76	82	49	35
Temperature Range***	-20°C ~ +8°C								-17°C ~ -20°C			-18°C/10 ~ 10°C -17°C ~			~ -24°C		~ +8°C	0°C ~ 10°C							-16°C ~ 18°C	-30 to -60#		
Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes (Rear)	Yes (Rear)	Yes	No	No	No	No	Yes	Yes (Rear)	No	Yes	Yes	Yes	Yes	Yes
Lock	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	- 1	Yes
Defrost	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Auto	Auto	Manual	Manual	NA	NA	NA	NA	Yes	NA	NA	NA	Inversion Cycle	Manual
Rated Load, Wattage	105	125	210	216	255	305	305	355	135	185	253	142	140	140	1000	1100	305	404	82	135	210	300	330	450	1000	1000	692	400
No. of Baskets/Shelves	1	1	1	1	1	2	2	2	1	1	2	1	5	8	5	10	4x2	4x3	3	1+2	4	6	4	8	5+5	5	#	-
No. of Lids/Doors	1	1	1	1	2	2	2	3	2	2	2	2	1	1	1	2	2	2	1	1	1	1	1	2	2	2	- 1	1

<sup>\*\*</sup> Imported under Vestfrost brand; other models imported under Celfrost brand as per Temperature Range given above

<sup>\*\*\*</sup> Under Standard Test Conditions

<sup>•</sup> Specifications, features and colours are subject to change without any notice, due to continuous product development.

<sup>•</sup> Power supply requirements for all models : 220 Volts, 50 Hz, Single Phase

<sup>†</sup> These models are suitable for operation in environment upto 32°C

<sup># 7</sup> flavours (GN pans not supplied with showcase)

#### **Island Showcases**

#### Gelato & Ice Cream Showcases







Island Freezer with indigenous glass canopy (Glass canopy not supplied with the Freezer)

#### Table Top Freezer



With its compact size, TG-3 is made for coffee bars, hotels and diners with limited room. The unit is designed to stimulate impulse sales and create great display of small-size deep-frozen products. TG-3 is especially suitable for storage and sale of soft ice cream due to its unique design with large branding opportunities.

#### **Features**

• Capacity: 39 Ltrs.

• Dimensions (w xdxh): 27x28x21 inches

• Temperature range: -18 to ±2 °C

• Net Weight: 34 kgs

• Power consumption per 24h : 2.9 kWh

Rated load: 170 WRefrigerant: R134a

#### **Low Temp Freezers**

Ideal for storage of raw fat fish, sushi, tuna etc. to enable the taste, color and vitamins to remain preserved for a longer duration. Also useful for storage of specific cheese cultures in dairies and various medical applications in the pharmaceutical industry.

#### **Features**

- Capacity: 383 ltrs
- Dimensions (w x d x h): 28 x 61 x 35 inches
- Environmentally friendly nature R refrigerant
- Digital controller: XR30CX
- Built-in internal and external alarm
- · Battery backup (optional)





VT 407

"Our products

"Our products

demonstrate our

commitment to energy

commitment to engonomy

efficiency, safety, ergonomy

and environmental.

best practices."



#### CELFROST INNOVATIONS PVT. LTD.

Corp. Office: 3rd Floor, SLV House, Plot No. 14, Sector 44, Near Hotel Taj Vivanta, Institutional Area,

Gurgaon - 122 003, Haryana, INDIA

Uttarakhand: 9910100843

Phone : +91 124 4308430, +91 124 2544555; Fax : +91 124 2544556; E-mail : corp@celfrost.com

#### TOTAL OTTICES :

Ahmedabad : 9375933335 Bengaluru : 9590047656 **Chennai** : 9345509016 : 9017195010 Hyderabad Cochin : 9349060306 Harvana : 9346447254 Kolkatta : 9339761988 Lucknow : 9335174580 Madhya Pradesh : 8817005179 Mumbai : 022-25175477/76 New Delhi : 9910100861 **Orissa** : 9337298974 **Punjab / J&K**: 9357615927 : 9320246577 Pune : 9351317208 Rajasthan

Western U.P.: 9910100843

Visit us at www.celfrost.com

AUTHORISED DEALER / DISTRIBUTOR







































